

AT THE FOREFRONT FOR THE FIRST LINE OF SAFETY
PORTABLE & USER FRIENDLY FIRE EXTINGUISHER



Fire
Extinguisher



ALUMINIUM FIRE EXTINGUISHER

It is India's First BIS Marked, Seamless, Aluminium Fire Extinguisher. A path breaking product from the house of Vimal Fire, the new Shootfire Aluminium Extinguisher is 30% lighter than conventional MS Body Fire Extinguisher making it conveniently portable and easy to operate. The Aluminium Cylinders are made through Extrusion process. These Extinguishers are Seamless and without any joints, it helps in avoiding any welding leakages and at the same time makes it sturdier to sustain very high pressure.

Aluminum Fire Extinguishers are both Internally and Externally Corrosion or Rust Free. Thus retaining quality of Fire Extinguishers and maintaining longer Shelf Life of Fire Extinguisher.

FEATURES:

- Much lighter compared to MS Extinguishers.
- Seamless body without any joints.
- Corrosion free Aluminium body.
- Much better shelf life compared to MS Cylinders.
- Unprecedented upto 10 years of warranty.
- Stable in chemically active environment.
- BIS Marked Fire Extinguisher as per IS 15683:2018.



Range of Aluminium Fire Extinguisher:

DCP Fire Extinguishers:

2Kg, 4Kg, 6 Kg & 9 Kg

Clean Agent Fire Extinguishers:

4Kg & 6Kg

MILD STEEL WATER MIST FIRE EXTINGUISHER

India's First BIS Marked Water-Mist Fire Extinguisher with application in Class A, B, C & F as per IS standards. It can easily fight Cooking Oil/Fat fire. The Water-Mist Fire Extinguisher comes with capillary tube to maintain constant pressure throughout the operation using up to 99% of the content.

Range of MS Water-Mist Fire Extinguisher:

Water Mist Fire Extinguisher: 2 Ltrs, 3 Ltrs, 6 Ltrs & 9 Ltrs

FEATURES:

- ISI Approved Fire Extinguisher for kitchen fires (Class F)
- Unique Technology with capillary tube to maintain constant pressure during operation till the end of discharge
- Utilization of up to 99% of the content in the Extinguisher
- Blanketing of burning fuel (as per Class B) to avoid further ignition while using with additive
- Easy to clear residue after use
- 1 - 3 years warranty
- BIS Marked Fire Extinguisher as per IS 15683:2018



MILD STEEL FIRE EXTINGUISHER

One of our key offering is Portable and Wheeled range of MS Fire Extinguishers. We provide Stored Pressure & Cartridge Type Fire Extinguishers. All the Portable Extinguishers are made as per IS-15683:2018 and Wheeled (Trolley) type Fire Extinguisher as per IS-16018:2012 standards and are of superior quality. These extinguishers are available with option of CE certified valve, which can help in releasing extra pressure when needed.

Range of Portable MS Fire Extinguishers:

DCP Fire Extinguisher: 1 Kg, 2 Kg, 4 Kg, 6 Kgs & 9 Kg

Clean Agent Fire Extinguisher: 2 Kg, 4 Kg & 6 Kg

Water Fire Extinguisher: 6 Litres & 9 Litres

Foam Fire Extinguisher: 6 Litres & 9 Litres

Range of Wheeled MS Fire Extinguishers:

DCP Fire Extinguisher:

- ABC Type (External / Outer Cartridge): 25 Kg, 50 Kg & 75 Kg
- BC Type (External / Outer Cartridge): 25 Kg, 50 Kg & 75 Kg
- ABC Type (Internal Cartridge): 25 Kg
- BC Type (Internal Cartridge): 25 Kg

Water Fire Extinguisher (Internal Cartridge): 45 Litres, 60 Litres

Mechanical Fire Extinguisher (Internal Cartridge): 45 Litres & 60 Litres

IS:15683:2018



IS:7200137299

IS:16018:2012



IS:7200155204

FEATURES & BENEFITS:

- Convenient & Easy to handle
- Strong MS Body for better performance
- Stored / Cartridge Type Extinguishing Cylinders with Squeeze Grip / Wheel Type
- CO₂ filled Fire Extinguishers are with Wheel Type opening Valve
- With the option of CE Safety Valves
- 1-3 years warranty
- BIS Marked Fire Extinguishers





VIMAL FIRE CONTROLS PRIVATE LIMITED

📍 HO: 19/20, Vardhaman Complex, LBS Marg, Behind P&S Bank, Vikhroli (West), Mumbai 400083, India

🏢 Works: A1-851/1 & A1-851/2, GIDC industrial Estate, Makarpura, Vadodara – 390010 Gujarat, India

☎ 1800 890 1999 / +91 22 25783335 / 6 / 7 ✉ vfcp@mumbai.vimalfire.com

📘 /vfcpIndia 🐦 /vfcpI 🌐 /VimalFireControls

SCAN TO EXPLORE



www.vimalfire.com